## IN THE CLAIMS:

Amend the claims as follows:

- 1. (Currently Amended) An isolated mammalian epididymis-specific receptor protein which has the amino acid sequence shown the in SEQ ID NO: 2, or a derivative of said protein or a fragment of said protein, said derivative or fragment thereof having at least one biological activity and/or immunogenicity of said protein, wherein said derivative or fragment comprises at least ten contiguous amino acids of SEQ ID NO: 2.
- 2. (Currently Amended) A protein of claim 1 wherein said derivative or fragment is comprises a hydrophilic region of said receptor.
- 3. (Currently Amended) A protein of claim 2 wherein said derivative or fragment is comprises an extracellular hydrophilic region of said receptor.
- 4. (Currently Amended) A <u>An isolated</u> protein of claim 1 having a sequence selected from the group consisting of represented by SEQ ID NO SEQ ID NOs: 2, 3, 4, 5, 6 and 7.
- 5. (Currently Amended) A protein of claim 1 herein said <u>derivative or</u> fragment is <u>comprises at least one sequence</u> selected from the group consisting of any one of SEQ ID NO: 3-7.

## OSTERHOFF et al. Div. of Serial No. 09/731,657

- 6. (Original) An isolated DNA sequence which codes for the receptor protein or an active derivative or fragment thereof having the same biological activity and/or immunogenicity, according to claim 1.
  - 7. (Original) An isolated DNA sequence which codes for a protein of claim 3.
  - 8. (Original) An isolated DNA sequence which codes for a protein of claim 4.
  - 9. (Original) An isolated DNA sequence according to claim 6, chosen from
  - a) the nucleotide sequence shown in SEQ ID NO: 1,
  - b) the sequence of nucleotides 1 to 3,114 of SEQ ID NO: 1,
  - c) a sequence homologous to the sequence represented by SEQ ID NO: 1 having a degree of homology of at least 70% and
  - d) a syngenic or complementary sequence of a sequence according to a), b) or c), or a fragment thereof, where said sequence codes for a protein or polypeptide having the same biological activity and/or immunogenicity as said protein or active derivative or fragment.
  - 10. (Original) A vector molecule, comprising at least one of the DNA sequence according to claim 2 as an insert, while maintaining the ability to replicate in a suitable host cell.

- 11. (Original) A vector molecule according to claim 10, wherein said DNA sequence is inserted in said vector, in a manner such that expression thereof can take place in a suitable host organism.
- 12. (Original) A prokaryotic or eukaryotic host cell transformed with a vector molecule according to claim 10.
- 13. (Original) A prokaryotic or eukaryotic host cell transformed with a vector molecule according to claim 11.
- 14. (Original) A process for the preparation of an isolated mammalian epididymis-specific receptor protein, which has an amino acid shown in SEQ ID NO: 2 or a derivative or fragment thereof having at least one biological activity and/or immunogenicity of said protein, said process comprising culturing a host cell according to claim 12 in a culture batch under conditions which allow expression of the DNA sequence, and obtaining the expression product from the culture batch.
- 15. (Original) An isolated antibody, which reacts with and is specific to at least one epitope included in a protein or polypeptide according to claim 1.
- 16. (Original) The antibody of claim 15 wherein said antibody is a monoclonal antibody.

## OSTERHOFF t al. Div. of Serial No. 09/731,657

- 17. (Currently Amended) A pharmaceutical composition which comprises a protein, derivative or fragment according to claim 1 as an active component.
- 18. (Original) A pharmaceutical composition which comprises at least one antibody according to claim 15 as an active component.
- 19. (Original) A pharmaceutical composition which comprises, as an active component, at least one nucleotide sequence which hybridizes with a nucleotide sequence according to claim 6.
- 20. (Original) A pharmaceutical composition according to claim 19, further comprising a detectable marker.
- 21. (Currently Amended) A pharmacoutical composition according to claim 17 for diagnosis of male reproduction disorders comprising a protein according to claim 4.
- 22. A pharmaceutical composition according to claim 17 for treatment of male reproduction disorders or for contraception.
- 23. (Currently Amended) A method of isolating a ligand specific for an epididymis-specific receptor comprising incubating the epididymis-specific receptor

OSTERHOFF tal. Div. of S rial No. 09/731,657

protein of claim 1 with a substance suspected to be a ligand of said receptor and detecting binding of said receptor to said ligand.

- 24. (Original) A method according to claim 23 wherein said ligand is an agonist of said epididymis-specific receptor.
- 25. (Original) A method according claim 23 wherein said ligand is an antagonist of said epididymis-specific receptor.
- 26. (Currently Amended) A method of treating infertility in a male mammal comprising administering an agonist of an epididymis-specific receptor <u>protein of claim 1</u> to said made mammal.
- 27. (Currently Amended) A contraceptive method for male mammals comprising administering an antagonist of an epididymis-specific receptor to said male mammal wherein said antagonist comprises a protein, derivative or fragment of claim 1.
- 28. (Original) A method of treating infertility in a male mammal comprising administering an agonist of an epididymis-specific receptor of claim 1 to said male mammal.

## OSTERHOFF t al. Div. of Serial No. 09/731,657

- 29. (Original) A contraceptive method for male mammals comprising administering an antagonist of an epididymis-specific receptor of claim 1 to said male mammal.
- 30. (Currently Amended) A method of diagnosing infertility in a male comprising measuring from said male to an epididymis-specific receptor <u>protein of claim</u>

  1.